

Home > CRYOGENIC - 2058685

Save > Download Datasheet >



+ View More

PRODUCT NUMBER: 2058685

CRYOGENIC

Protection against small drops of liquid gas up to - 170°C.



Honeywell Safety Products (UK) Ltd.

Edison Rd
Basingstoke RG21 6QD
United Kingdom
Phone: +44 (0) 1256 693 200
Fax: +44 (0) 1256 693 300
Contact >

Data Sheet Lists

Click this icon to list the data sheets you'd like to download. Once submitted, the list will be saved for up to five days. You may list up to 20 items. Remember, lists that are not submitted will be lost when you either close your browser or log out of My Safety.



- Overview
- Features & Benefits
- Technical Description
- Certifications
- Additional Information
- Maintenance

Reference Number

2058685

Product Type

Gloves

Range

Specific Protection

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Chemical Industries
- Petro-chemical

Product Use

Protection against small drops of liquid gas up to - 170°C.

Feature

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Water-repellent silicone cowhide grain leather glove
 Fully lined with 2 aluminium/fleece layers
 Gunn cut, winged thumb, crispin type
 Reinforcement between thumb and index
 200 mm split leather cuff
 Velcro® adjustment strap on side of the palm

Benefit**COMFORT**

The US assembly, the winged thumb and flexibility of the materials used make this glove anatomical, thus providing excellent comfort.

The Velcro fastening tab gives the glove good support.

RESISTANCE

The silicone cowhide grain leather ensures good flexibility, even at a low temperature as well as water repellence and good mechanical protection.

Its polar double insulation offers outstanding protection against the cold and rays.

The reinforcement between the thumb and index finger increases the glove's mechanical resistance and durability by strengthening the areas of wear.

HYGIENE

The hide cuff offers good forearm protection against mechanical hazards and limits any risk of intrusion.

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical Hazards

EN 511-2006 Cold protection

CHARACTERISTICS :

Water-repellent silicone cowhide grain leather glove

Fully lined with 2 aluminium/fleece layers

Gunn cut, winged thumb, crispin type

Reinforcement between thumb and index

20 cm split leather cuff

Velcro® adjustment strap on side of the palm

Product Technology

Cut and Sewn

Coating Type

Leather

Thickness

1.1/1.3 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

9 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
---------------------	---

Cutting resistance	2
Tear resistance	2
Puncture resistance	2

EN 511- Protection in cold temperatures:

Resistance to conductive cold	2
Resistance to contact cold	2
Water permeability	0

Packaging Label

Tagging

CE HONEYWELL

2058685 XX

EN 420

EN 388 : 3222

EN 511 : 220

- Overview
- Features & Benefits
- Technical Description
- Certifications**
- Additional Information
- Maintenance

E.C. Declaration of Conformity


EC Category PPE

2

EC Certificate Number

0075/797/162/01/09/0001

EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/01/09/0001

We're sorry, there are no images available at this time.

- Overview
- Features & Benefits
- Technical Description

Certifications
Additional Information
Maintenance

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

User Manual

UI 105

User Information Sheet

105

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Storage Information

Minimum packaging 1 pair.

Cartons of 25 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.

Connect with Honeywell Safety:



Eye & Face Protection
Hearing
Respiratory
Fall Protection
Gloves
Protective Clothing
Professional Footwear
Head Protection

Show Less <<
Show More >>

Agriculture
Chemical
Construction
Fire Protection
Food Services
Forestry
Government
Law Enforcement
Manufacturing
Medical
Military
Mining
Municipal Services
Nuclear
Oil and Gas
Pharmaceutical
Steel and Metals
Transportation
Utilities
Welding
Wind Energy

Show Less <<
Show More >>

Abrasion
Airborne Particulates
Biohazard
Chemical
Confined Space
Contamination
Cut / Puncture
Electrical and Arc
Explosions
Extreme Environment
Fall from Height
Fire
Gas/Vapors/Smoke
Impact
Laser/IPL Light
Low Visibility
Noise
Slip
Splash
Thermal
Welding Flash

Show Less <<
Show More >>

Honeywell
Miller
Howard Leight
KCL

Show Less <<
Show More >>

BRANDS

Honeywell Safety Products has a large portfolio of brands with products that can fit all of your needs.

- > Otter
- > Timberland PRO®
- > Salisbury

Show Less <<
Show More >>

Home > CRYOGENIC - 2058685

Save > Download Datasheet >



View More

PRODUCT NUMBER: 2058685

CRYOGENIC

Protection against small drops of liquid gas up to - 170°C.



Honeywell Safety Products (UK) Ltd.

Edison Rd
Basingstoke RG21 6QD
United Kingdom
Phone: +44 (0) 1256 693 200
Fax: +44 (0) 1256 693 300
Contact >

Data Sheet Lists

Click this icon to list the data sheets you'd like to download. Once submitted, the list will be saved for up to five days. You may list up to 20 items. Remember, lists that are not submitted will be lost when you either close your browser or log out of My Safety.



- Overview
- Features & Benefits
- Technical Description
- Certifications
- Additional Information
- Maintenance

Reference Number

2058685

Product Type

Gloves

Range

Specific Protection

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Chemical Industries
- Petro-chemical

Product Use

Protection against small drops of liquid gas up to - 170°C.

Feature

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Water-repellent silicone cowhide grain leather glove
 Fully lined with 2 aluminium/fleece layers
 Gunn cut, winged thumb, crispin type
 Reinforcement between thumb and index
 200 mm split leather cuff
 Velcro® adjustment strap on side of the palm

Benefit**COMFORT**

The US assembly, the winged thumb and flexibility of the materials used make this glove anatomical, thus providing excellent comfort.

The Velcro fastening tab gives the glove good support.

RESISTANCE

The silicone cowhide grain leather ensures good flexibility, even at a low temperature as well as water repellence and good mechanical protection.

Its polar double insulation offers outstanding protection against the cold and rays.

The reinforcement between the thumb and index finger increases the glove's mechanical resistance and durability by strengthening the areas of wear.

HYGIENE

The hide cuff offers good forearm protection against mechanical hazards and limits any risk of intrusion.

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical Hazards

EN 511-2006 Cold protection

CHARACTERISTICS :

Water-repellent silicone cowhide grain leather glove

Fully lined with 2 aluminium/fleece layers

Gunn cut, winged thumb, crispin type

Reinforcement between thumb and index

20 cm split leather cuff

Velcro® adjustment strap on side of the palm

Product Technology

Cut and Sewn

Coating Type

Leather

Thickness

1.1/1.3 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

9 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
---------------------	---

Cutting resistance	2
Tear resistance	2
Puncture resistance	2

EN 511- Protection in cold temperatures:

Resistance to conductive cold	2
Resistance to contact cold	2
Water permeability	0

Packaging Label

Tagging

CE HONEYWELL

2058685 XX

EN 420

EN 388 : 3222

EN 511 : 220

Overview

Features & Benefits

Technical Description

Certifications

Additional Information

Maintenance

E.C. Declaration of Conformity


EC Category PPE

2

EC Certificate Number

0075/797/162/01/09/0001

EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/01/09/0001

We're sorry, there are no images available at this time.

Overview

Features & Benefits

Technical Description

Certifications
Additional Information
Maintenance

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

User Manual

UI 105

User Information Sheet

105

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Storage Information

Minimum packaging 1 pair.

Cartons of 25 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.

Connect with Honeywell Safety:



Eye & Face Protection
Hearing
Respiratory
Fall Protection
Gloves
Protective Clothing
Professional Footwear
Head Protection

[Show Less <<](#)
[Show More >>](#)

Agriculture
Chemical
Construction
Fire Protection
Food Services
Forestry
Government
Law Enforcement
Manufacturing
Medical
Military
Mining
Municipal Services
Nuclear
Oil and Gas
Pharmaceutical
Steel and Metals
Transportation
Utilities
Welding
Wind Energy

[Show Less <<](#)
[Show More >>](#)

Abrasion
Airborne Particulates
Biohazard
Chemical
Confined Space
Contamination
Cut / Puncture
Electrical and Arc
Explosions
Extreme Environment
Fall from Height
Fire
Gas/Vapors/Smoke
Impact
Laser/IPL Light
Low Visibility
Noise
Slip
Splash
Thermal
Welding Flash

[Show Less <<](#)
[Show More >>](#)

Honeywell
Miller
Howard Leight
KCL

[Show Less <<](#)
[Show More >>](#)

BRANDS

Honeywell Safety Products has a large portfolio of brands with products that can fit all of your needs.

- > Otter
- > Timberland PRO®
- > Salisbury

[Show Less <<](#)
[Show More >>](#)

Home > CRYOGENIC - 2058685

Save > Download Datasheet >



+ View More

PRODUCT NUMBER: 2058685

CRYOGENIC

Protection against small drops of liquid gas up to - 170°C.



Honeywell Safety Products (UK) Ltd.

Edison Rd
Basingstoke RG21 6QD
United Kingdom
Phone: +44 (0) 1256 693 200
Fax: +44 (0) 1256 693 300
Contact >

Data Sheet Lists

Click this icon to list the data sheets you'd like to download. Once submitted, the list will be saved for up to five days. You may list up to 20 items. Remember, lists that are not submitted will be lost when you either close your browser or log out of My Safety.



- Overview
- Features & Benefits
- Technical Description
- Certifications
- Additional Information
- Maintenance

Reference Number

2058685

Product Type

Gloves

Range

Specific Protection

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Chemical Industries
- Petro-chemical

Product Use

Protection against small drops of liquid gas up to - 170°C.

Feature

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Water-repellent silicone cowhide grain leather glove
 Fully lined with 2 aluminium/fleece layers
 Gunn cut, winged thumb, crispin type
 Reinforcement between thumb and index
 200 mm split leather cuff
 Velcro® adjustment strap on side of the palm

Benefit

COMFORT

The US assembly, the winged thumb and flexibility of the materials used make this glove anatomical, thus providing excellent comfort.

The Velcro fastening tab gives the glove good support.

RESISTANCE

The silicone cowhide grain leather ensures good flexibility, even at a low temperature as well as water repellence and good mechanical protection.

Its polar double insulation offers outstanding protection against the cold and rays.

The reinforcement between the thumb and index finger increases the glove's mechanical resistance and durability by strengthening the areas of wear.

HYGIENE

The hide cuff offers good forearm protection against mechanical hazards and limits any risk of intrusion.

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical Hazards

EN 511-2006 Cold protection

CHARACTERISTICS :

Water-repellent silicone cowhide grain leather glove
 Fully lined with 2 aluminium/fleece layers
 Gunn cut, winged thumb, crispin type
 Reinforcement between thumb and index
 20 cm split leather cuff
 Velcro® adjustment strap on side of the palm

Product Technology

Cut and Sewn

Coating Type

Leather

Thickness

1.1/1.3 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

9 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
---------------------	---

Cutting resistance	2
Tear resistance	2
Puncture resistance	2

EN 511- Protection in cold temperatures:

Resistance to conductive cold	2
Resistance to contact cold	2
Water permeability	0

Packaging Label

Tagging

CE HONEYWELL

2058685 XX

EN 420

EN 388 : 3222

EN 511 : 220

- Overview
- Features & Benefits
- Technical Description
- Certifications
- Additional Information
- Maintenance

E.C. Declaration of Conformity


EC Category PPE

2

EC Certificate Number

0075/797/162/01/09/0001

EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/01/09/0001

We're sorry, there are no images available at this time.

- Overview
- Features & Benefits
- Technical Description

Certifications
Additional Information
Maintenance

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

User Manual

UI 105

User Information Sheet

105

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Storage Information

Minimum packaging 1 pair.

Cartons of 25 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.

Connect with Honeywell Safety:



Eye & Face Protection
Hearing
Respiratory
Fall Protection
Gloves
Protective Clothing
Professional Footwear
Head Protection

[Show Less <<](#)
[Show More >>](#)

Agriculture
Chemical
Construction
Fire Protection
Food Services
Forestry
Government
Law Enforcement
Manufacturing
Medical
Military
Mining
Municipal Services
Nuclear
Oil and Gas
Pharmaceutical
Steel and Metals
Transportation
Utilities
Welding
Wind Energy

[Show Less <<](#)
[Show More >>](#)

Abrasion
Airborne Particulates
Biohazard
Chemical
Confined Space
Contamination
Cut / Puncture
Electrical and Arc
Explosions
Extreme Environment
Fall from Height
Fire
Gas/Vapors/Smoke
Impact
Laser/IPL Light
Low Visibility
Noise
Slip
Splash
Thermal
Welding Flash

[Show Less <<](#)
[Show More >>](#)

Honeywell
Miller
Howard Leight
KCL

[Show Less <<](#)
[Show More >>](#)

BRANDS

Honeywell Safety Products has a large portfolio of brands with products that can fit all of your needs.

- > Otter
- > Timberland PRO®
- > Salisbury

[Show Less <<](#)
[Show More >>](#)

Home > CRYOGENIC - 2058685

Save > Download Datasheet >



PRODUCT NUMBER: 2058685

CRYOGENIC

Protection against small drops of liquid gas up to - 170°C.



Honeywell Safety Products (UK) Ltd.

Edison Rd
Basingstoke RG21 6QD
United Kingdom
Phone: +44 (0) 1256 693 200
Fax: +44 (0) 1256 693 300
Contact >

Data Sheet Lists

Click this icon to list the data sheets you'd like to download. Once submitted, the list will be saved for up to five days. You may list up to 20 items. Remember, lists that are not submitted will be lost when you either close your browser or log out of My Safety.



- Overview
- Features & Benefits
- Technical Description
- Certifications
- Additional Information
- Maintenance

Reference Number

2058685

Product Type

Gloves

Range

Specific Protection

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Chemical Industries
- Petro-chemical

Product Use

Protection against small drops of liquid gas up to - 170°C.

Feature

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Water-repellent silicone cowhide grain leather glove
 Fully lined with 2 aluminium/fleece layers
 Gunn cut, winged thumb, crispin type
 Reinforcement between thumb and index
 200 mm split leather cuff
 Velcro® adjustment strap on side of the palm

Benefit**COMFORT**

The US assembly, the winged thumb and flexibility of the materials used make this glove anatomical, thus providing excellent comfort.

The Velcro fastening tab gives the glove good support.

RESISTANCE

The silicone cowhide grain leather ensures good flexibility, even at a low temperature as well as water repellence and good mechanical protection.

Its polar double insulation offers outstanding protection against the cold and rays.

The reinforcement between the thumb and index finger increases the glove's mechanical resistance and durability by strengthening the areas of wear.

HYGIENE

The hide cuff offers good forearm protection against mechanical hazards and limits any risk of intrusion.

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical Hazards

EN 511-2006 Cold protection

CHARACTERISTICS :

Water-repellent silicone cowhide grain leather glove

Fully lined with 2 aluminium/fleece layers

Gunn cut, winged thumb, crispin type

Reinforcement between thumb and index

20 cm split leather cuff

Velcro® adjustment strap on side of the palm

Product Technology

Cut and Sewn

Coating Type

Leather

Thickness

1.1/1.3 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

9 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
---------------------	---

Cutting resistance	2
Tear resistance	2
Puncture resistance	2

EN 511- Protection in cold temperatures:

Resistance to conductive cold	2
Resistance to contact cold	2
Water permeability	0

Packaging Label

Tagging

CE HONEYWELL

2058685 XX

EN 420

EN 388 : 3222

EN 511 : 220

- Overview
- Features & Benefits
- Technical Description
- Certifications**
- Additional Information
- Maintenance

E.C. Declaration of Conformity


EC Category PPE

2

EC Certificate Number

0075/797/162/01/09/0001

EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/01/09/0001

We're sorry, there are no images available at this time.

- Overview
- Features & Benefits
- Technical Description

Certifications
Additional Information
Maintenance

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

User Manual

UI 105

User Information Sheet

105

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Storage Information

Minimum packaging 1 pair.

Cartons of 25 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.

Connect with Honeywell Safety:



Eye & Face Protection
Hearing
Respiratory
Fall Protection
Gloves
Protective Clothing
Professional Footwear
Head Protection

[Show Less <<](#)
[Show More >>](#)

Agriculture
Chemical
Construction
Fire Protection
Food Services
Forestry
Government
Law Enforcement
Manufacturing
Medical
Military
Mining
Municipal Services
Nuclear
Oil and Gas
Pharmaceutical
Steel and Metals
Transportation
Utilities
Welding
Wind Energy

[Show Less <<](#)
[Show More >>](#)

Abrasion
Airborne Particulates
Biohazard
Chemical
Confined Space
Contamination
Cut / Puncture
Electrical and Arc
Explosions
Extreme Environment
Fall from Height
Fire
Gas/Vapors/Smoke
Impact
Laser/IPL Light
Low Visibility
Noise
Slip
Splash
Thermal
Welding Flash

[Show Less <<](#)
[Show More >>](#)

Honeywell
Miller
Howard Leight
KCL

[Show Less <<](#)
[Show More >>](#)

BRANDS

Honeywell Safety Products has a large portfolio of brands with products that can fit all of your needs.

- > Otter
- > Timberland PRO®
- > Salisbury

[Show Less <<](#)
[Show More >>](#)

Home > CRYOGENIC - 2058685

Save > Download Datasheet >



+ View More

PRODUCT NUMBER: 2058685

CRYOGENIC

Protection against small drops of liquid gas up to - 170°C.



Honeywell Safety Products (UK) Ltd.

Edison Rd
Basingstoke RG21 6QD
United Kingdom
Phone: +44 (0) 1256 693 200
Fax: +44 (0) 1256 693 300
Contact >

Data Sheet Lists

Click this icon to list the data sheets you'd like to download. Once submitted, the list will be saved for up to five days. You may list up to 20 items. Remember, lists that are not submitted will be lost when you either close your browser or log out of My Safety.



- Overview
- Features & Benefits
- Technical Description
- Certifications
- Additional Information
- Maintenance

Reference Number

2058685

Product Type

Gloves

Range

Specific Protection

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Chemical Industries
- Petro-chemical

Product Use

Protection against small drops of liquid gas up to - 170°C.

Feature

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Water-repellent silicone cowhide grain leather glove
 Fully lined with 2 aluminium/fleece layers
 Gunn cut, winged thumb, crispin type
 Reinforcement between thumb and index
 200 mm split leather cuff
 Velcro® adjustment strap on side of the palm

Benefit

COMFORT

The US assembly, the winged thumb and flexibility of the materials used make this glove anatomical, thus providing excellent comfort.

The Velcro fastening tab gives the glove good support.

RESISTANCE

The silicone cowhide grain leather ensures good flexibility, even at a low temperature as well as water repellence and good mechanical protection.

Its polar double insulation offers outstanding protection against the cold and rays.

The reinforcement between the thumb and index finger increases the glove's mechanical resistance and durability by strengthening the areas of wear.

HYGIENE

The hide cuff offers good forearm protection against mechanical hazards and limits any risk of intrusion.

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical Hazards

EN 511-2006 Cold protection

CHARACTERISTICS :

Water-repellent silicone cowhide grain leather glove

Fully lined with 2 aluminium/fleece layers

Gunn cut, winged thumb, crispin type

Reinforcement between thumb and index

20 cm split leather cuff

Velcro® adjustment strap on side of the palm

Product Technology

Cut and Sewn

Coating Type

Leather

Thickness

1.1/1.3 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

9 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
---------------------	---

Cutting resistance	2
Tear resistance	2
Puncture resistance	2

EN 511- Protection in cold temperatures:

Resistance to conductive cold	2
Resistance to contact cold	2
Water permeability	0

Packaging Label

Tagging

CE HONEYWELL

2058685 XX

EN 420

EN 388 : 3222

EN 511 : 220

- Overview
- Features & Benefits
- Technical Description
- Certifications**
- Additional Information
- Maintenance

E.C. Declaration of Conformity


EC Category PPE

2

EC Certificate Number

0075/797/162/01/09/0001

EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/01/09/0001

We're sorry, there are no images available at this time.

- Overview
- Features & Benefits
- Technical Description

Certifications
Additional Information
Maintenance

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

User Manual

UI 105

User Information Sheet

105

Overview
Features & Benefits
Technical Description
Certifications
Additional Information
Maintenance

Storage Information

Minimum packaging 1 pair.

Cartons of 25 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.

Connect with Honeywell Safety:



Eye & Face Protection
Hearing
Respiratory
Fall Protection
Gloves
Protective Clothing
Professional Footwear
Head Protection

[Show Less <<](#)
[Show More >>](#)

Agriculture
Chemical
Construction
Fire Protection
Food Services
Forestry
Government
Law Enforcement
Manufacturing
Medical
Military
Mining
Municipal Services
Nuclear
Oil and Gas
Pharmaceutical
Steel and Metals
Transportation
Utilities
Welding
Wind Energy

[Show Less <<](#)
[Show More >>](#)

Abrasion
Airborne Particulates
Biohazard
Chemical
Confined Space
Contamination
Cut / Puncture
Electrical and Arc
Explosions
Extreme Environment
Fall from Height
Fire
Gas/Vapors/Smoke
Impact
Laser/IPL Light
Low Visibility
Noise
Slip
Splash
Thermal
Welding Flash

[Show Less <<](#)
[Show More >>](#)

Honeywell
Miller
Howard Leight
KCL

[Show Less <<](#)
[Show More >>](#)

BRANDS

Honeywell Safety Products has a large portfolio of brands with products that can fit all of your needs.

- > Otter
- > Timberland PRO®
- > Salisbury

[Show Less <<](#)
[Show More >>](#)