

Best SPORT / L-7296

Best SPORT S1P SRC Composite Toe/Kevlar Plate PU/PU Low Ankle Shoe



CE EN ISO 20345:2011 S1P SRC



FEATURES:

- Upper: Breathable yellow cow suede leather
- Lining: Breathable & Abrasion resistant sandwich
- Insock: Anti-static breathable EVA insock
- Outsole: PU/PU injection, dual density
- Tested : By UK Intertek lab (Appoved body:0362)
- Toe: Composite toe cap to resist 200 joules impact
- Penetration: Composite plate to resist 1100 newtons puncture

ERP Code: S5020233
Size: 38 – 46

G.Weight: 12kgs/carton
Carton dimension: 62x43x33cm
Cubic meter/Carton: 0.087978
Packing: 10PCS/Carton



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT



ELECTROSTATIC
DISCHARGE

Best SPORT / L-7296

Best SPORT S1P SRC Composite Toe/Kevlar Plate PU/PU Low Ankle Shoe



Outsole material:

The outsole is made in PU/PU dual density. The midsole is 45 degree hardness PU, which is soft and shock absorption. The outsole is 60-65 degree hardness PU, which is tough and abrasion resistant. The outsole can pass SRC slip-resistant test.



Insock material:

J-001 insock design, the ventilation fabric can absorb 90% sweat and dry feet efficiently. U-design support heel can disperse human weight pressure, and reduce friction between feet and shoes. EVA material is soft and flexible, to increase comfortability during walk.



Toe protection:

Composite toe cap can reach 200 joules. It is light and anti-magnet, compared with steel toe cap.



Penetration protection:

Kevlar plate, to resist 1100 newtons nail puncture. It is more light, flexible and anti-magnet, compared with steel plate.



SRC		
SRC (SRA+SRB)		
SRA CERAMIQUE + EAU ET	PLAT ≥ 0.32 TALON (incluse ?) ≥ 0.28	0.52
		0.48
SRB ACIER + GLYCÉRINE	PLAT ≥ 0.18 TALON (incluse ?) ≥ 0.13	0.23
		0.18

EN ISO 20345: 2011

Usage & Storage:

1. Recommended places: Basic workplace, construction, logistics, mechanics, chemical factory, electronic factory, mining, food & Health etc

2. It is very important that shoes selected must be suitable for the right workplace and environment. The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are not valid for fire, water, electric etc.

3. Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum upto 14/12/2010 for intermediate design category products. This has been shown through satisfactory testing to EN ISO 20345:2011 and examination of the Technical File Documentation.

Best SPORT / L-7296

Best SPORT S1P SRC Composite Toe/Kevlar Plate PU/PU Low Ankle Shoe



Intertek

EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311



www.intertek.com

Issued to	: Shanghai Langfeng Industrial Co., Ltd Room 908, Building 1, Luxiang Road 111, Shanghai, China	
Date of Issue	: 12 October 2017	
Expiry Date	: 09 May 2021	
Certificate No.	: LEC FI00369292 (Extension to certificate LEC FI00363769)	
Product Reference(s)	: L-7295, L-7296 Safety Shoes	
Description	: Construction	: Injection
	: Toecap	: Composite Toecap
	: Midsole	: Kevlar Insole Board
	: Last	: 604#
	: Sole	: PU/PU
	: Mould	: 12#
	: Test Report(s)	: See Technical File
	: Size Range	: 36 – 48
	: Category	: S1P SRC

M. Lutz
Assessor

12/10/2017

Date

P. Williams
Certification Manager

12/10/2017

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex. CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.