



FEATURES

Modern, attractive low-profile design
Lightweight, Unique low profile headband design helps maintain constant pressure thus providing confidence in protection.

Large space inside cup helps reduce moisture and heat build-up, help maintain a comfortable pressure around the ears. New innovative foam earcup inserts and spacers that help improve attenuation.

Easy-to-replace cushions and inserts help keep them hygienically clean.

APPLICATION

The earmuffs are ideal for protection against noise arising from a wide range of applications in the workplace and leisure activity. Examples of typical applications include:

Metal processing, Automotive, Airports, Construction, Textile manufacturing,

Chemical & pharmaceutical manufacturing, Cement manufacturing, Printing, Wood working, Heavy engineering, Foundry, Steelworks, Mining and quarrying

ERP CODES



STANDARDS

 EN 352-1:2002, ANSI S3.19-1974, ANSI S12.6-1997



Hearing Protective Device Test Report

Model : EM-107
 Mode Tested : Over The Head
 Attenuation results (values in dB) : See below
 Test Reference No. : HP/03/04/01

Frequency (Hz)

Subject	Sample	63	125	250	500	1000	2000	4000	8000
FW	01A	20	24	28	34	46	38	35	38
CL	01A	24	24	26	32	37	40	32	41
ES	01A	18	32	20	31	44	40	36	39
SM	01A	18	20	24	30	44	30	42	31
JB	02A	28	26	30	30	37	36	42	32
DW	02A	18	20	20	30	38	34	42	40
RH	02A	24	20	27	30	39	38	38	34
DMM	02A	27	22	26	30	44	32	38	36
RC	03A	26	23	24	40	44	36	38	28
PJH	03A	24	24	22	34	40	36	44	34
RF	03A	16	20	18	30	40	44	40	42
SH	03A	26	21	26	36	42	38	46	36
BF	04A	19	20	28	30	42	38	40	28
CN	04A	25	22	22	26	44	38	42	38
IH	04A	18	21	22	28	38	36	35	38
DM	04A	24	26	28	34	48	42	40	40
Mean Attenuation		22.2	22.8	24.4	31.6	41.1	37.3	39.4	35.9
Standard Deviation		3.9	3.2	3.4	3.4	3.4	3.5	3.7	4.4
Assumed Protection SSV2		18.3	19.6	20.9	28.2	38.3	33.8	35.7	31.5

Assumed Protection Value rounded to one decimal place.



ADJUSTABLE EAR MUFF, 29 dB NRR

Article # E1-12-20-12

PACKAGING

UNIT	STANDARD	PACKING PER PKT	PACKING PER CTN	ORIGIN	NET WEIGHT / CARTON (KG.)	GROSS WEIGHT / CARTON (KG.)	CARTON DIMENSION (CMS.)	CBM PER CTN
Piece	EN CAT 1	1 Piece	25 PIECES	TAIWAN	_____	S - 16.33 M - 16.8 L - 17.5 XL - 18.0 2XL - 18.7 3XL - 19.4 4XL - 20.38	51 x 42 x 43	0.0921